# **SAFETY DATA SHEET**



# DEOSTOR FIRE CITRUS

### **ACTICHEM PTYLTD**

Catalogue number: AP521.05 Version No: 2.2 Issue date: 08/07/2022

Safety Data Sheet according to WHS and ADG requirements

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### **Product Identifier**

Product name	DEOSTOR FIRE CITRUS
Product code	AP521.05
Pack sizes	1L & 5L
UN proper shipping name	FLAMMABLE LIQUID N.O.S. (Contains Ethanol and Isopropanol)

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Odour neutralizing concentrate
--------------------------	--------------------------------

### Details of the manufacturer/importer

Registered company name	ACTICHEM PTY LTD
Address	11 Gamma Close, Beresfield 2322 NSW Australia
Telephone	(02) 4966 5516
Website	www.actichem.com.au
Email	info@actichem.com.au

### Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

### **SECTION 2 HAZARDS IDENTIFICATION**

### Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable
GHS Classification	Eye Irritation Category 2A, Sensitisation (Skin) Category 1. Flammable Liquid Category 3
	Classification drawn from HCIS and ECHA Inventory.

### Label elements

GHS label elements





SIGNAL WORD

WARNING

### Hazard statement(s)

H226	Flammable liquid and vapour
H319	Causes serious eye irritation
H317	May cause an allergic skin reaction

This SDS and the hazard classifications contained herein only apply to the product in its concentrated form as supplied. When diluted to 1:25 or more the solution becomes non-hazardous. However, good hygiene and housekeeping practices should be adhered to

Page 2 of 7
DEOSTOR FIRE CITRUS

Product Code: **AP521.05** Version No: **2.2** 

recautionary statement(s)	Prevention
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking
P233	Keep container tightly closed.
P240	Ground/Bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P280	Wear protective gloves and eye protection
P261	Avoid breathing mists/vapours/spray.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace
Precautionary statement(s) Response	
P303+P361+P353+P333+P313	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Wash with plenty of water and soap. If skin irritation or rash occurs, get medical advice / attention.
P313+P310+P351+P338	IF IN EYES: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to doso. Continue rinsing.
P370+P378	In case of fire: Use alcohol resistant foam or normal protein foam for extinction.
P363	Wash contaminated clothing before reuse.

### Precautionary statement(s) Storage

P403+P235 Store in a well-ventilated place. Keep cool.

### Precautionary statement(s) Disposal

P501

Dispose of contents / container in accordance with local government regulations

### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

### Substances

See section below for composition of Mixtures.

# Mixtures

CAS No	%[weight]	Name
67-63-0	10-<30	isopropanol
64-17-5	10-<30	ethanol-;
Trade secret	<10	proprietary fragrance A
Trade secret	<10	proprietary fragrance B
57-55-6	<10	propylene glycol

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### **SECTION 4 FIRST AID MEASURES**

### Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Seek medical attention without delay. Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If vapours or spray are inhaled remove from contaminated area into fresh air. If breathing is difficult obtain medical advice/attention without delay.
Ingestion	Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

# $Indication \ of \ any \ immediate \ medical \ attention \ and \ special \ treatment \ needed.$

Treat symptomatically.

### **SECTION 5 FIREFIGHTING MEASURES**

### Extinguishing media

Extinguishing media	Use alcohol resistant foam or normal protein foam for extinction

DEOSTOR FIRE CITRUS Product Code: AP521.05 Issue Date: 08/07/2022 Version No: 2.2

Special hazards	arising from	the substrate	or mixture.

Fire incompatibilities Avoid contamination with oxidising agents

### Advice for firefighters

Alert Fire Brigade and tell them location and nature of hazard.

May be violently or explosively reactive.

Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water course.

Consider evacuation (or protect in place).

Fight fire from a safe distance, with adequate cover.

If safe, switch off electrical equipment until vapour fire hazard removed.

Use water delivered as a fine spray to control the fire and cool adjacent area.

Avoid spraying water onto liquid pools.

Do not approach containers suspected to be hot.

# Fire/Explosion Hazard

Fire fighting

Contains low boiling substance: Closed containers may rupture due to pressure buildup under fire conditions.

Liquid and vapour are highly flammable.

Severe fire hazard when exposed to heat, flame and/or oxidisers.

Vapour may travel a considerable distance to source of ignition.

Heating may cause expansion or decomposition leading to violent rupture of containers.

On combustion, may emit toxic fumes of carbon monoxide (CO), carbon dioxide (CO2) and other pyrolysis products typical of burning organic material

HAZCHEM

### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

Minor environmental hazard - contain spillage Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Minor Spills Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Place in a suitable, labelled container for waste disposal.

# **Major Spills**

Minor environmental hazard - contain spillage. Wear eye protection plus protective gloves.

Prevent, by any means available, spillage from entering drains or water course.

Stop leak if safe to do so.

Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations.

Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively hand le

Personal Protective Equipment advice is contained in Section 8 of the SDS.

### **SECTION 7 HANDLING AND STORAGE**

### Precautions for safe handling

Safe handling

Wear respiratory protection and eye protection when risk of exposure occurs.

Use in a well-ventilated area. Avoid contact with incompatible materials.

When handling, DO NOT eat, drink or smoke

Keep containers securely sealed when not in use.

Avoid physical damage to containers.

Other information

### Conditions for safe storage, including any incompatibilities.

Suitable container	Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Avoid reaction with oxidising agents

### **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

### Control parameters

# OCCUPATIONAL EXPOSURE LIMITS (OEL)

### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	isopropanol	Isopropyl alcohol	683 mg/m3 / 400 ppm	1230 mg/m3 / 500 ppm	Not Available	Not Available
Australia Exposure Standards	ethanol, denatured	Ethyl alcohol	1880 mg/m3 / 1000 ppm	Not Available	Not Available	Not Available
Australia Exposure Standards	Propylene glycol	Propane-1,2-diol	474 mg/m3/150ppm	Not Available	Not Available	Not Available

# Page **4** of **7** DEOSTOR FIRE CITRUS

Product Code: **AP521.05** Version No: **2.2** 

EMERGENCY LIMITS				
Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
isopropanol	Isopropyl alcohol	400 ppm	400 ppm	12,000 ppm
ethanol, denatured	Ethyl alcohol	Not available	Not available	Not available
		·	<u>'</u>	
Ingredient	Original IDLH	Revised IDLH		
isopropanol	12,000 ppm	2,000 [LEL] ppm		
ethanol, denatured	15.000 ppm	15.000 ppm 3,3000[LEL] ppm		
Exposure controls				
Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ve If ventilation is poor, then the use of a local exhaust ventilation system is rec		<b>)</b> .	
Personal protection				
Eye and face protection	Safety glasses with side shields OR Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absort or irritation. Lens should be removed in a clean environment only after work			first signs of eye redness
Skin protection	See Hand protection below			
Hands/feet protection	It is good practice to wear protective gloves when handling chemicals. Neoprene gloves are recommended for this application.			
Body protection	See Other protection below			
Other protection	Eye wash unit.			
Thermal hazards	Not Available			

# SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Appearance	Clear liquid		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Strongly fragrant	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	7-8	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	>23°C	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Flammable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Complete	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# Page **5** of **7** DEOSTOR FIRE CITRUS

Product Code: **AP521.05** Version No: **2.2** 

# SECTION 11 TOXICOLOGICAL INFORMATION

# Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects of the respiratory tract
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'.
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact
Eye	This material can cause eye irritation in some persons. Eye contact may cause tearing or blurring of vision.
Chronic	No relative data is listed.

### Toxicological effects of ingredients

Sepreciation   Sepr	oxicological effects of ingre	edients	
Eye damageint attoo.  Reproductives in exemplation of the service	isopropanol	Acute toxicity	Oral LD50 (rat) 5045 – 5840 mg/kg Dermal LD50 (rabbit) 12800 mg/kg Inhalation LC50 (rat) 16000 ppm/8h
Reproductive books of common security and comm		Skin corrosion/irritation	May be irritating to skin
Sernituration of Actionisements of the annutropenitural of Actionisements of Actionisements of the Actionisements of Act		Eye damage/irritation	Causes serious eye irritation
Reproductive todaty of the contrologient by a specific organ STDT (single exposure) Approximation booking to a specific organ Approximation organically to a specific organ Approximation organically to a specific organ Approximation organically to a specific organ Approximation Eye demagnishtation Eye demagnishtation Common implementation Approximation Common implementation Approximation Common implementation Approximation Common implementation Approximation Ap			Not expected to be a sensitizer
STOT (ingle exposure)		Germ cell mutagenicity	Not considered to be a mutagenic hazard
STOT (respected exposure) STOT (respected exposure) Not expected to cause toxicoly to a specific organ Aspiration toxicity Aspiration toxicity Stormonionistration Stormonionistration Stormonionistration Fey damageristration Eye damageristration Eye damageristration Cern controllagenicity No Data Available Cerniforgenicity Regulatorylatistic Cerniforgenicity No Data Available Cerniforgenicity No Data Available STOT (repeated exposure) Aspiration toxicity No Data Available STOT (repeated exposure) Aspiration toxicity No Data Available STOT (repeated exposure) Aspiration toxicity No Data Available Stormonionistration Cerniforgenicity Aspiration toxicity No Data Available STOT (repeated exposure) Aspiration toxicity No Data Available Stormonionistration Stormonionistration Aspiration toxicity No Data Available Stormonionistration Stormonionistration Aspiration toxicity No Data Available Stormonionistration Stormonionistration Aspiration toxicity No Data Available Oran Controllagenicity No Data Available Stormonionistration Aspiration toxicity No Data Available No Cardinogenicity No Repositation Aspiration toxicity Oral TET 1975 regist Stormonionistration Special exposure) Apparation toxicity No Cardinogenicity No multigenic Cardinogenicity Aspiration toxicity Oral TET 1975 regist Stormonionistration Aspiration toxicity Oral TET 1975 regist Stormonionistration Aspiration toxicity Oral TET 1975 regist oral toxicity Stormonionistration Aspiration toxicity Aspiration		Carcinogenicity	Not considered to be a carcinogenic hazard.
STOT (repeated exposure)   Not expected to be an aspiration toxicity   Not expected to be an aspiration hazard   Aspiration toxicity   Oral LDSG (mones) 3400 mg/kg inhalation LCSG (rat) 2000 ppm*10hrs   Exposure may result in lacrimation, path and defaulting of the skin, rash and demastits.   Irritating to skin. Prolonged contact may result in lacrimation, irritation, path and redness   Respiratory/skin sensitization   No Data Available   Carcinogeneticy   No Data Available   Carcinogeneticy   No Data Available   STOT (repeated exposure)   Chronic injection may result in cirritation of the liver   No Data Available   STOT (repeated exposure)   Chronic injection may result in cirritation of the liver   No Data Available   STOT (repeated exposure)   Chronic injection may result in cirritation of the liver   No Data Available   STOT (repeated exposure)   Chronic injection may result in cirritation of the liver   No Data Available   STOT (repeated exposure)   Chronic injection may result in cirritation of the liver   No Data Available   STOT (repeated exposure)   No Data Available   No Data Available   STOT (repeated exposure)   No data available   No Dat		Reproductive toxicity	Not considered to be toxic to reproduction
### Application toxicity #### Application toxicity ### Application toxicity #### Application toxicity ### Application toxicity #### Application toxicity #### Application toxicity #### Application toxicity #### Application toxicity ##### Applicati		STOT (single exposure)	May cause drowsiness or dizziness
### Acute toxicity    Sition corrosion/irritation   Irritating to sex. Protoraged contact may result in laterimation, path and defaulting of the skin, reah and dermatitis.		STOT (repeated exposure)	Not expected to cause toxicity to a specific organ
Skin corrosion/irritation   Irritating to skin. Protonged contact may result in drying and defatting of the skin, rash and dematitis.		Aspiration toxicity	Not expected to be an aspiration hazard
Eye damagaintration Respiratory, both and a variable Carrinogenicity Carrinogenicity Carrinogenicity Reproductive toxicity STOT (sepseade desposure) Acute toxicity Proprietary fragrance A Acute toxicity Reproductive toxicity Aspiration toxicity Acute toxicity A	ethanol	Acute toxicity	Oral LD50 (mouse) 3450 mg/kg Inhalation LC50 (rat) 2000 ppm/10hrs
Respiratory/skin Germ cell mutagenicity Carrinogenicity Reproductive toxicity No Data Available Carrinogenicity Reproductive toxicity No Data Available STOT (single exposure) Appiration toxicity No Data Available Chronic ingestion may result in cirrhosis of the liver Appiration toxicity No Data Available No Data Available No Data Available Propylene glycol Sin corrosion/irriation Eye damagaintation Respiratory/skin Respiratory/skin Respiratory/skin Respiratory/skin Respiratory/skin Respiratory/skin Respiratory/skin No data available STOT (repeated exposure) Nor-carrinogenic based on animal studies Reproductive toxicity Nor-carrinogenic decrease in red blood cells sun/val rate Reproductive toxicity Nor-carrinogenic decrease in red blood cells sun/val rate Respiratory/skin Reproductive toxicity Nor-carrinogenic decrease in red blood cells sun/val rate Respiratory/skin animalization Carrinogenicity Nor-carrinogenic decrease in red blood cells sun/val rate Respiratory/skin animalization Respiratory/skin animalization Respiratory/skin animalization Nor-carrinogenic decrease in red blood cells sun/val rate Respiratory/skin animalization Nor-carrinogeni		Skin corrosion/irritation	Irritating to skin. Prolonged contact may result in drying and defatting of the skin, rash and dermatitis.
Germ cell mutagenicity Reproductive toxicity Forprietary fragrance A Acute toxicity Acute toxici		Eye damage/irritation	Irritating to eyes. Exposure may result in lacrimation, irritation, pain and redness
Gern cell mudagenicity Approaches to bottom Reproductive to bottom R			No Data Available
Reproductive toxicity Reproductive toxicity Roba Available STOT (repeated exposure) Aspiration toxicity Aspiration toxicity Propylene glycol Aspiration toxicity Aspir			
Reproductive toxicity STOT (reiped exposure) STOT (repeated exposure) STOT (repeated exposure) Aspiration toxicity Aspiration			
STOT (single exposure) STOT (repeated exposure) Aspiration boxinity Aspiration boxinity Aspiration boxinity Aspiration boxinity Aspiration boxinity Skin corrosion/irritation Exposure boxinity Skin corrosion/irritation Exposure boxinity Skin corrosion/irritation Exposure boxinity Exposure boxinity Skin corrosion/irritation Exposure boxinity Exposure box			
STOT (repeated exposure) Aspiration toxicity No Data Available  Propylene glycol Skin corresion/irritation Eye damage/irritation Respiratory/skin sensitization Germ cell mutagenicity Carcinogenicity STOT (sepeated exposure) Aspiration toxicity As			
Propylene glycol			
Propylene glycol   Acute toxicity   Sikn corrosion/irritation   May be irritating   Eye damage/irritation   May be irritating   Respiratory-iskin   Sensitization   May be an eye irritant   Respiratory-iskin   Sensitization   May be an eye irritant   Respiratory-iskin   Sensitization   May be an eye irritant   Respiratory-iskin   Sensitization   Carrinogenicity   Nor data available   Reproductive toxicity   Nor-carcinogenic based on animal studies   Reproductive toxicity   Nor-carcinogenic based on animal studies   STOT (single exposure)   May cause respiratory irritation   STOT (repeated exposure)   High doses in diet showed a decrease in red blood cells survival rate   Not classified   Storic corrosion/irritation   Causes skin irritation   Causes skin irritation   Eye damage/irritation   Causes skin irritation   Causes skin irritation   Respiratory-iskin   Sensitization   May cause an allergic skin reaction   May cause an allergic skin reaction   Nor untagenic component identified   Nor component of filia product present at levels greater than or equal to 0.1% is identified as probable, possible or or potential carcinogen by OSHA   Nor component of filia product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA   Nor component identified   Nor component identif		· · · · · · · · · · · · · · · · · · ·	
Skin corrosion/irritation Eye damage/irritation Skin corrosion/irritation Eye damage/irritation Eye modulity toxicity Forprietary fragrance A Experimentation Eye damage/irritation Not classified  Proprietary fragrance B Eye damage/irritation Eye Eye damage/irritation Eye damage/irritation Eye Eye Eye Eye Eye Irritation Eye Eye Eye Irritation Eye Eye Irritation Eye Irritat		1	
Eye damage/irritation Respiratory/skin Sentitization Germ cell mutagenicity Not data available Carinogenicity Reproductive toxicity Non-carcinogenic based on animal studies STOT (repeated exposure) High doses in diet showed a decrease in red blood cells survival rate Aspiration toxicity Not classified Respiration toxicity Nor lacssified Causes skin irritation Respiratory/skin Sensitization Respiratory/skin Sensitization Respiratory/skin Respiratory/skin Respiratory/skin Sensitization Respiratory/skin Respiratory/skin Respiratory/skin Reproductive toxicity No mutagenic component identified No component of his product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSFA Reproductive toxicity Reproductive toxicity Reproductive toxicity Reproductive toxicity STOT (single exposure) Aspiration toxicity Not classified  Proprietary fragrance B Acute toxicity Stin orroson/irritation Respiratory/skin Respiratory/skin Respiratory/skin Not a sensitization Respiratory/skin Respiratory/skin Not a sensitization Respiratory/skin Resp	propylene glycol	-	
Respiratory/skin sensitization Germ cell mutagenicity Not mutagenic Reproductive toxicity Non-carcinogenic based on animal studies STOT (repeated exposure) High doses in diet showed a decrease in red blood cells survival rate Aspiration toxicity Not classified  Proprietary fragrance A Acute toxicity Oral ATE 1875 mg/kg Skin corrosion/irritation Eye damage/irritation Causes serious eye irritation Respiratory/skin Respiratory/skin Respiratory/skin Respiratory/skin Respiratory/skin Respiratory/skin Respiratory/skin Respiratory/skin Respiratory/skin Story (repeated exposure) Respiratory on this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed carcinogen by LARC or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by Cell-ARC or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by Cell-ARC or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is id			
Semilization Germ cell mutagenicity Carcinogenicity Non-carcinogenic based on animal studies Reproductive toxicity STOT (single exposure) STOT (repeated exposure) May cause respiratory irritation STOT (repeated exposure) Aspiration toxicity Not classified  Proprietary fragrance A Acute toxicity Skin corrosion/irritation Causes skin irritation Causes skin irritation Respiratory-skin sensitization Germ cell mutagenicity No component identified Reproductive toxicity STOT (single exposure) Reproductive toxicity STOT (repeated exposure) Aspiration toxicity No component identified Respiratory-skin sensitization Carcinogenicity Oral ATE 1875 mg/kg May cause an allergic skin reaction Respiratory-skin sensitization And carcinogenent identified No component identified as a known or anticipated carcinogen by NIPC or is identified as a known or anticipated carcinogen by NIPC or is identified as a known or anticipated carcinogen by NIPC or is identified as a known or anticipated carcinogen by NIPC or is identified as a known or anticipated carcinogen by NIPC or is identified as a known or anticipated carcinogen by NIPC or is identified as a known or anticipated carcinogen by NIPC or is identified as a known or anticipated carcinogen by NIPC or is identified as a known or anticipated carcinogen by NIPC or is identified as a known or anticipated carcinogen by NIPC or is identified as a known or anticipated carcinogen by NIPC or is identified as a known or antic		-	
Reproductive toxicity Respiratory/skin sensitization Respiratory/skin sensitization Respiratory/skin sensitization Reproductive toxicity Reproductive toxicity Reproductive toxicity Reproductive toxicity Respiratory/skin sensitization Reproductive toxicity Reproductive toxicity Reproductive toxicity Respiratory/skin sensitization Reproductive toxicity Respiratory/skin sensitization Reproductive toxicity Reproductive toxicity Reproductive toxicity Respiratory/skin sensitization Reproductive toxicity Reproductive toxici			No data available
Reproductive toxicity STOT (single exposure) STOT (single exposure) Asy cause respiratory irritation STOT (repeated exposure) High doses in diet showd a decrease in red blood cells survival rate Aspiration toxicity Not classified  Proprietary fragrance A Acute toxicity Cral ATE 1875 mg/kg Skin corrosion/irritation Eye damage/irritation Respiratory/skin sensitization Germ cell mutagenicity No mutagenic component identified No mutagenic component identified No mutagenic component identified No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential or (special carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as		Germ cell mutagenicity	Not mutagenic
STOT (single exposure) STOT (repeated exposure) Aspiration toxicity Not classified  Proprietary fragrance A Acute toxicity Stin corrosion/irritation Causes skin irritation Causes serious eye irritation Respiratory/skin sensitization Germ cell mutagenicity No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA Possible reproductive hazard Aspiration toxicity Not classified.  Proprietary fragrance A Acute toxicity Carcinogenicity Respiratory/skin sensitization Germ cell mutagenicity No mutagenic component identified No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed carcinogen by NRP or is identified as a carcinogen or potential carcinogen by OSHA Possible reproductive hazard Aspiration toxicity Not classified.  Proprietary fragrance B Acute toxicity Oral LD50 (rat) 4400 mg/kg Dermal LD50 (rabbit) >2000 mg/kg Skin corrosion/irritation Severe irritant Respiratory/skin sensitization Not a sensitiser Severe irritant Carcinogenicity Not utagenic as determined by the Ames test Micronucleus Assay OEDC 474 The components of this product are not listed by agencies tracking the carcinogenic potential of chemical compounds e.g. IRRC, NTP, OSHA Reproductive toxicity The components of this product are not reported to produce reproductive effects in humans STOT (single exposure) No available data STOT (single exposure) With repeated exposure this product are contributed or the following organs: Blood, skin, central nervous system		Carcinogenicity	Non-carcinogenic based on animal studies
STOT (repeated exposure)   High doses in diet showed a decrease in red blood cells survival rate		Reproductive toxicity	No reproductive or developmental effects.
Aspiration toxicity  Proprietary fragrance A  Acute toxicity  Oral ATE 1875 mg/kg  Skin corrosion/irritation  Eye damage/irritation  Respiratory/skin sensitization  Germ cell mutagenicity  No mutagenic component identified  Carcinogenicity  No mutagenic component identified  Reproductive toxicity  Reproductive toxicity  STOT (single exposure)  Aspiration toxicity  Not classified.  No cause an allergic skin reaction  No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by OSHA  Reproductive toxicity  Possible reproductive hazard  STOT (single exposure)  May cause respiratory irritation.  STOT (repeated exposure)  Aspiration toxicity  Not classified.  Not alabelide data  Eye damage/irritation  Respiratory/skin sensitization  Germ cell mutagenicity  Not a sensitiser  Germ cell mutagenicity  The components of this product are not reported to produce reproductive effects in humans  STOT (single exposure)  With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system		STOT (single exposure)	May cause respiratory irritation
Proprietary fragrance A  Acute toxicity Skin corrosion/irritation Eye damage/irritation Causes skin irritation  Respiratory/skin sensitization Germ cell mutagenicity No mutagenic component identified No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by VBTP or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by OSHA Reproductive toxicity Possible reproductive hazard STOT (single exposure) May cause respiratory irritation. STOT (repeated exposure) May cause damage to organs through prolonged or repeated exposure Aspiration toxicity Not classified.  Proprietary fragrance B Acute toxicity Skin corrosion/irritation No available data Severe irritant Respiratory/skin sensitization Germ cell mutagenicity Not a sensitiser Reproductive toxicity The components of this product are not reported to produce reproductive effects in humans STOT (single exposure) No available data STOT (single exposure) With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system		STOT (repeated exposure)	High doses in diet showed a decrease in red blood cells survival rate
Skin corrosion/irritation  Eye damage/irritation  Respiratory/skin senstitization  Germ cell mutagenicity  No mutagenic component identified  No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by OSHA  Reproductive toxicity  Possible reproductive hazard  STOT (ispgle exposure)  Aspiration toxicity  Not classified.  Proprietary fragrance B  Acute toxicity  Skin corrosion/irritation  Severe irritant  Respiratory/skin sensitization  Germ cell mutagenicity  Not a sensitiser  Germ cell mutagenicity  Not mutagenic as determined by the Ames test Micronucleus Assay OEDC 474  The components of this product are not reported to produce reproductive effects in humans  STOT (ispgle exposure)  No available data  STOT (ispgle exposure)  With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system		Aspiration toxicity	Not classified
Eye damage/irritation Respiratory/skin sensitization Germ cell mutagenicity No mutagenic component identified No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by OSHA Reproductive toxicity STOT (single exposure) Aspiration toxicity Not classified.  Proprietary fragrance B Acute toxicity Skin corrosion/irritation Eye damage/irritation Respiratory/skin sensitization Germ cell mutagenicity Not a sensitiser Germ cell mutagenicity Not mutagenic as determined by the Ames test Micronucleus Assay OEDC 474 Reproductive toxicity No available data STOT (repeated exposure) With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system	proprietary fragrance A	Acute toxicity	Oral ATE 1875 mg/kg
Respiratory/skin sensitization Germ cell mutagenicity No mutagenic component identified No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed carcinogen by JARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by JARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by JARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by JARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by DARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by NTP or is identified as a carcinogen by DARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by DARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by DARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by DARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by DARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by DARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by DARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by DARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by DARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen by NTP or is identified as a known or anticipated carcinogen by NTP or is identified as a known		Skin corrosion/irritation	Causes skin irritation
Sensitization Germ cell mutagenicity No mutagenic component identified  Carcinogenicity Carcinogenicity Reproductive toxicity STOT (single exposure) Aspiration toxicity  Proprietary fragrance B Acute toxicity Skin corrosion/irritation Eye damage/irritation Eye damage/irritation Respiratory/skin sensitization Germ cell mutagenicity Acute toxicity Respiratory/skin sensitization  Respiratory/skin Carcinogenicity Acute mutagenicity Rot a sensitiser  Respiratory/skin sensitization  Respiratory/skin Sensitizati		Eye damage/irritation	Causes serious eye irritation
Carcinogenicity  Carcinogenicity  Carcinogenicity  Carcinogenicity  Carcinogenicity  Carcinogenicity  Carcinogenicity  Reproductive toxicity  Possible reproductive hazard  STOT (single exposure)  May cause respiratory irritation.  STOT (repeated exposure)  May cause damage to organs through prolonged or repeated exposure  Aspiration toxicity  Not classified.  Proprietary fragrance B  Acute toxicity  Cral LD50 (rat) 4400 mg/kg Dermal LD50 (rabbit) >2000 mg/kg  Skin corrosion/irritation  Eye damage/irritation  Respiratory/skin sensitization  Germ cell mutagenicity  Not a sensitiser  Not mutagenic as determined by the Ames test Micronucleus Assay OEDC 474  Carcinogenicity  Reproductive toxicity  The components of this product are not reported to produce reproductive effects in humans  STOT (single exposure)  With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system			May cause an allergic skin reaction
Carcinogenicity confirmed carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen or potential carcinogen by OSHA  Reproductive toxicity Possible reproductive hazard  STOT (single exposure) May cause respiratory irritation.  STOT (repeated exposure) May cause damage to organs through prolonged or repeated exposure  Aspiration toxicity Not classified.  Proprietary fragrance B Acute toxicity Oral LD50 (rat) 4400 mg/kg Dermal LD50 (rabbit) >2000 mg/kg  Skin corrosion/irritation No available data  Eye damage/irritation Severe irritant  Respiratory/skin sensitization  Germ cell mutagenicity Not mutagenic as determined by the Ames test Micronucleus Assay OEDC 474  The components of this product are not listed by agencies tracking the carcinogenic potential of chemical compounds e.g. IARC, NTP, OSHA  Reproductive toxicity The components of this product are not reported to produce reproductive effects in humans  STOT (single exposure) No available data  STOT (repeated exposure) With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system		Germ cell mutagenicity	No mutagenic component identified
STOT (single exposure) May cause respiratory irritation.  STOT (repeated exposure) May cause damage to organs through prolonged or repeated exposure  Aspiration toxicity Not classified.  Proprietary fragrance B Acute toxicity Oral LD50 (rat) 4400 mg/kg Dermal LD50 (rabbit) >2000 mg/kg  Skin corrosion/irritation No available data  Eye damage/irritation Severe irritant  Respiratory/skin sensitization  Germ cell mutagenicity Not mutagenic as determined by the Ames test Micronucleus Assay OEDC 474  Carcinogenicity The components of this product are not listed by agencies tracking the carcinogenic potential of chemical compounds e.g. IARC, NTP, OSHA  Reproductive toxicity The components of this product are not reported to produce reproductive effects in humans  STOT (single exposure) No available data  STOT (repeated exposure) With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system		Carcinogenicity	confirmed carcinogen by IARC or is identified as a known or anticipated carcinogen by NTP or is identified as a carcinogen
STOT (repeated exposure)  Aspiration toxicity  Not classified.  Proprietary fragrance B  Acute toxicity  Oral LD50 (rat) 4400 mg/kg Dermal LD50 (rabbit) >2000 mg/kg  Skin corrosion/irritation  No available data  Eye damage/irritation  Respiratory/skin sensitization  Germ cell mutagenicity  Not a sensitiser  Carcinogenicity  Reproductive toxicity  The components of this product are not reported to produce reproductive effects in humans  STOT (repeated exposure)  With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system		Reproductive toxicity	Possible reproductive hazard
Aspiration toxicity Not classified.  Proprietary fragrance B Acute toxicity Skin corrosion/irritation No available data  Eye damage/irritation Severe irritant  Respiratory/skin sensitization Severe irritant  Germ cell mutagenicity Not mutagenic as determined by the Ames test Micronucleus Assay OEDC 474  Carcinogenicity The components of this product are not listed by agencies tracking the carcinogenic potential of chemical compounds e.g.  Reproductive toxicity The components of this product are not reported to produce reproductive effects in humans  STOT (single exposure) With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system		STOT (single exposure)	May cause respiratory irritation.
proprietary fragrance B  Acute toxicity Skin corrosion/irritation Eye damage/irritation Respiratory/skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity The components of this product are not reported to produce reproductive effects in humans STOT (single exposure) With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system		STOT (repeated exposure)	May cause damage to organs through prolonged or repeated exposure
Skin corrosion/irritation  Eye damage/irritation  Respiratory/skin sensitization  Germ cell mutagenicity  Carcinogenicity  Reproductive toxicity  The components of this product are not listed by agencies tracking the carcinogenic potential of chemical compounds e.g.  Reproductive toxicity  The components of this product are not reported to produce reproductive effects in humans  STOT (single exposure)  With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system		Aspiration toxicity	Not classified.
Eye damage/irritation  Respiratory/skin sensitization  Germ cell mutagenicity  Not a sensitiser  Germ cell mutagenicity  Carcinogenicity  Reproductive toxicity  The components of this product are not listed by agencies tracking the carcinogenic potential of chemical compounds e.g.  Reproductive toxicity  The components of this product are not reported to produce reproductive effects in humans  STOT (single exposure)  With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system	proprietary fragrance B	Acute toxicity	Oral LD50 (rat) 4400 mg/kg Dermal LD50 (rabbit) >2000 mg/kg
Respiratory/skin sensitization  Germ cell mutagenicity  Not a sensitiser  Not a sensitiser  Not mutagenic as determined by the Ames test Micronucleus Assay OEDC 474  Carcinogenicity  The components of this product are not listed by agencies tracking the carcinogenic potential of chemical compounds e.g. IARC, NTP, OSHA  Reproductive toxicity  The components of this product are not reported to produce reproductive effects in humans  STOT (single exposure)  No available data  STOT (repeated exposure)  With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system		Skin corrosion/irritation	No available data
Sensitization  Germ cell mutagenicity  Carcinogenicity  Reproductive toxicity  Reproductive toxicity  STOT (repeated exposure)  With repeated exposure toxicity  Not mutagenic as determined by the Ames test Micronucleus Assay OEDC 474  The components of this product are not listed by agencies tracking the carcinogenic potential of chemical compounds e.g. IARC, NTP, OSHA  The components of this product are not reported to produce reproductive effects in humans  STOT (single exposure)  With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system		Eye damage/irritation	Severe irritant
Germ cell mutagenicity  Carcinogenicity  Reproductive toxicity  STOT (repeated exposure)  Not mutagenic as determined by the Ames test Micronucleus Assay OEDC 474  The components of this product are not listed by agencies tracking the carcinogenic potential of chemical compounds e.g.  IARC, NTP, OSHA  The components of this product are not reported to produce reproductive effects in humans  STOT (single exposure)  With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system			Not a sensitiser
Carcinogenicity The components of this product are not listed by agencies tracking the carcinogenic potential of chemical compounds e.g. Reproductive toxicity The components of this product are not reported to produce reproductive effects in humans STOT (single exposure) No available data STOT (repeated exposure) With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system			Not mutagenic as determined by the Ames test Micronucleus Assay OEDC 474
STOT (single exposure)  No available data  STOT (repeated exposure)  With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system			The components of this product are not listed by agencies tracking the carcinogenic potential of chemical compounds e.g.
STOT (repeated exposure) With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system		Reproductive toxicity	The components of this product are not reported to produce reproductive effects in humans
		STOT (single exposure)	No available data
Aspiration toxicity No available data		STOT (repeated exposure)	With repeated exposure this product may cause damage to the following organs: Blood, skin, central nervous system
		Aspiration toxicity	No available data

**DEOSTOR FIRE CITRUS** Issue Date: **08/07/2022** Product Code: AP521.05 Version No: 2.2

### **SECTION 12 ECOLOGICAL INFORMATION**

#### Toxicity

	Endpoint	Duration (Hr.)	Species	Value
isopropanol	LC50	96	Fish	9-640mg/L
	EC50	48	Crustacea	12500mg/L
	EC50	72	Algae or other aquatic plants	>1000mg/L
	EC0	24	Crustacea	5-102mg/L
	NOEC	504	Crustacea	=30mg/L
ethanol, denatured	LC50	96	Fish	42-mg/L
	EC50	48	Crustacea	2-mg/L
	EC50	96	Algae or other aquatic plants	-8.358-26.503mg/L
	EC10	168	Algae or other aquatic plants	1.91-mg/L
	NOEC	2016	Fish	0.000375-mg/L
propylene glycol	EC50	48h	Crustacea	>0.342mg/L
	LC50	96h	Fish	>10000mg/l
	EC50	96h	Algae or other aquatic plants	19000mg/l
	NOEC(ECx)	336h	Algae or other aquatic plants	<5300mg/l

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
isopropanol	LOW (Half-life = 14 days)	LOW (Half-life = 3 days)
ethanol	LOW (Half-life = 2.17 days)	LOW (Half-life = 5.08 days)
propylene glycol	LOW	LOW

### Bio accumulative potential

Ingredient	Bioaccumulation
isopropanol	LOW (BCF = 130)
ethanol	LOW (LogKOW = -0.31)
propylene glycol	LOW (BCF = 1)

### Mobility in soil

Ingredient	Mobility
isopropanol	HIGH (KOC = 1.06)
ethanol	HIGH (KOC = 1)
propylene glycol	HIGH (KOC = 1)

### **SECTION 13 DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Product / packaging disposal  Recycle containers whenever possible.  Product residues and containers should be disposed of in accordance with local government regulations
--

### **SECTION 14 TRANSPORT INFORMATION**

### **Labels Required**

Marine Pollutant	NO
HAZCHEM	3Y

Land transport (Not Applicable): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS IN PACK SIZES OF 5L OR LESS

### **SECTION 15 REGULATORY INFORMATION**

### Safety, health and environmental regulations / legislation specific for the substance or mixture

### ISOPROPANOL IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

### ETHANOL, DENATURED IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australian Inventory of Industrial Chemicals (AIIC)

### PROPYLENE GLYCOL IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5 Australian Inventory of Industrial Chemicals (AIIC)

# Page 7 of 7 DEOSTOR FIRE CITRUS

Product Code: AP521.05 Version No: 2.2

### **SECTION 16 OTHER INFORMATION**

#### **Revision Schedule**

Revision Date	08/07/2022
Initial Date	01/10/2019

### **SDS Version Summary**

Version	Issue Date	Sections Updated
2.1	11/05/2021	Sections 2, 3, 11, 12, 15, 16 have been updated or corrected
2.2	08/07/2022	Section 2

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources such as the ECHA C&L Chemical Inventory, HSNO (CCID) New Zealand, AICIS and HCIS Australia

DISCLAIMER: While the information in this Safety Data Sheet (SDS) is believed to be true and accurate based on the current level of knowledge available to us, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the control of ACTICHEM PTY LTD and therefore the users are responsible to verify this data under their own particular conditions of use, applications and regulations to determine whether the product is suitable for their particular purpose and they assume all risks of their use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures, or processes.

### **Definitions and abbreviations**

PC-TWA; Permissible Concentration-Time Weighted Average
PC-STEL: Permissible Concentration-Short Term Exposure Limit
IARC: International Agency for Research on Cancer

ACGIH: American Conference of Government Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit

IDLH: Immediate Danger to Life or Health Concentrations

OSF: Odour Safety Factor
NOAEL: No Observed Effects Level
TLV: Threshold Limit Value
LOD: Limit Of Detection
OTV: Odour Threshold Value
BCF: Bio Concentration Factors
BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permissionfrom ACTICHEM PTY LTD.

# **End of SDS**