

Product Overview





Product Specification Sheet





Max. air velocity	187km/h
Max. air volume	13m³/min
No load speed	18,000rpm
Overall length	825mm
Runtime (6.0Ah battery, highest speed)	12mins
Skin weight	2.5kg
Weight (with battery)	3.1kg
Voltage	18V

- Cruise control with variable speed trigger allows you to set the desired air speed eliminating the need to continuously hold the trigger
- Lightweight design weighing only 3kg the blower can comfortably be used for extended periods of time
- Optimum grip to frame angle provides optimum nozzle to ground angle for efficient operation
- 18V Brushless Motor provides similar power to 18Vx2 unit with the convenience of only a single 18V battery
- XPT provides increased resistance to moisture and dripping water for use in harsh outdoor environments

Advantages



Ergonomics



Optimum grip to frame angle for comfortable operation

Convenience



Cruise control feature allows desired air speed to be set

Lightweight



Only weighs 3kg with a battery

Performance



Max. air volume: 13 m³/min Max. air speed: 187 km/h

S Our Range



	DUB184	DUB362	DUB186	DUB185
Voltage	18V	36V (18x2)	18V	18V
No Load Speed	18,000rpm	21,500rpm	18,000rpm	18,000rpm
Max. air volume	13m³/min	13.4m³/min	3.2m³/min	3.2m³/min
Max. air velocity	52.1m/s (187km/h)	54m/s (194.4km/h)	244.8km/h	352km/h
Vibration	2.5m/s ²	2.5m/s ²	2.5m/s ²	2.5m/s ²
Noise	96dB	79.1dB	95dB	95dB
Overall Length	825mm	930mm	861mm	517mm
Skin Weight	2.5kg	2.8kg	1.5kg	1.5kg
Weight (with battery)	3.1kg	4.0kg	2.1kg	2.1kg

Accessories



Standard Accessories				
	783202-0	Hex Wrench		



Optional Accessories				
	191L13-5	Flat Nozzle Adaptor		
	197889-6	Flat Nozzle		
	166094-6	Shoulder Strap		